

LUNCH AND LEARN

Safe and Healthy: A PRIMARY CARE DFV INITIATIVE

MEET YOUR LOCAL LINK

WE ACKNOWLEDGE THE TRADITIONAL OWNERS & CUSTODIANS OF THE LAND THAT WE LIVE & WORK ON AS THE FIRST PEOPLE OF THIS COUNTRY.


HNECCPHN.COM.AU

Healthy People, Healthy Communities



The highest burden of disease for women aged 18-44 years?

DFAV Alcohol Use Tobacco Use Workplace Hazards **Overweight/Obesity** Illicit Drug Use Physical Inactivity Childhood Sexual Abuse



(SOURCE: The Australian Institute of Health and Welfare)



contributed an estimated

5.1%

of the **burden of disease** (impact of illness, disability, premature death) for women aged 18-44 years.

This is more than any other risk factor, including alcohol, tobacco use and obesity

Estimated cost of violence against women (violence, abuse and stalking) in 2015/16:




This includes **\$1.4 billion** to the HEALTH SYSTEM¹¹.

The **disease burden** of domestic and family violence for Indigenous women aged 18-44 years is 6.3 times higher than for non-Indigenous women in the same age group.

(SOURCE: NSW Health Strategy for Preventing and Responding to Domestic and Family Violence 2021-2026)

DOMESTIC FAMILY ABUSE AND **VIOLENCE IS A HEALTH ISSUE**




CHEALTH NETWORK





AND CENTRAL COAST

WHY PRIMARY CARE?



(Source: Australian Institute of Health and Welfare. Family, domestic and sexual violence in Australia 2018. Cat. no. FDV 2. Canberra: AIHW; 2018)



An Australian Government Initiative





FIVE

victims a week may be unseen.

Make Domestic Family Violence and Abuse VISIBLE in Primary Health Care.


(SOURCE: RACGP)

IS YOUR PRACTICE PREPARED AND READY?



CHEALTH NETWORK








THE PRIMARY CARE RESPONSE

SPOT THE SIGNS

START THE CONVERSATION

LINK FOR SUPPORT

DOMESTIC FAMILY ABUSE AND VIOLENCE IS A HEALTH ISSUE



PRIMARY HEALTH NETWORK





Domestic Family Violence and Abuse

Early intervention starts with a conversation.

START THE CONVERSATION



PRIMARY HEALTH NETWORK







A conversation can save a life. **START THE CONVERSATION USING THESE 4 STEPS:**

1. Ask the question

"How are things at home?" "Is there anything else happening which might be affecting your health?" "What happens when your partner gets angry?" "Sometimes partners use physical force. Is this happening to you?"

- 2. Listen without judgement "I hear you. I believe you." "I care, and I am here for you"
- **3. Validate their feelings** "I'm so sorry this has happened to you." "Thank you for telling me. This is not your fault."
- 4. Encourage action

"Do you mind if I ask you some more questions about risk to help keep you safe?" "Before you leave, I'd like to develop a safety plan with you. Is this, okay?" "I would like to link you to a specialist support service. Is that okay?"

START THE CONVERSATION







ACTION PLAN

D	OMESTIC AND I	FAMILY ABUSE	VIOLENCE	(DFAV) ACTION P	LAN					
			-	wards the patient to enhance safe						
	ase refer to DFAV Action Plan (ERE SAFETY IS NOT ACUTE, Th						C	PRIMAR		
_								NETWO	RK	
	Patient Details									
F	Full Name	Date of Birth	Gender/Pronouns	Patient Contact Details						
		at culture/s does the patient identify with: boriginal, Torres Strait Islander, LGBTIQ+ & Other Nationalities		Patient Address				Safe to receive letters?		Yes No
				Preferred contact number		Safe time/day to call		Safe to leave a message?		Yes No
	Does the patient need an interpreter to communicate? Yes No If yes, specify language/s			Alternate contact number		Safe time/day to call		Safe to leave a r		■Yes ■No
0				Preferred email				Safe to receive email?		Yes No
1				Alternate email					Safe to receive email?	
	Children & Pregnancy		1	Person/s Using DFAV						
1	Is the Patient Pregnant and/or have baby under 1 year old?			Name of Person/s Using DFA	/		Relationsh	Relationship to Patient		
(Children's Name/s and Age/s			Living in same household as patient?						
				Practitioner Name / Practice						

		-							
Α	DFAV Risk Assessment Enter reason for visit: DSWB (Domestic Safety Well-Being)	and that the	ent is not required for information sharing if the practit information sharing is necessary to lessen the threat (P 2007)). Please see "Legal" section in the <u>PHN DFAV Or</u>	art 13A of the Cri	mes (Domestic and Personal	В	Safety Planning Plan with your patient how they and their children can remain safe		
1	Do you feel unsafe to go home :	o you feel unsafe to go home after this visit?			Yes No N/A		When Safety Planning consider:		
2	Are the abusive behaviour/s getting worse or happening more often?				Yes No N/A		Supportive people and/or organisations, Safe neighbours		
3	Have they ever put their hands around your throat or tried to stop you breathing in any way? Please refer patient to ED with referral letter requesting Violence Abuse Neglect psychosocial support.				Yes No N/A		Escape bag – medication, clothing important docs, comforter toy for		
4	Are they jealous or controlling o	of you, includin	g following/tracking where you are going or isolating yo	ou from others?	Yes No N/A		children		
5	Do you rely on them to care for	you, and do th	ey use this position to control or hurt you?	Yes No N/A		Safety of children, Safety of pets Safe communication			
6							Electronic communications and social media		
7		ave they ever threatened or hurt you or your children inclusive of weapons or other objects? ease specify in additional information (with weapon, punching, slapping, grabbing, pushing, etc)					When to call the police		
8		e they ever pressured you to do anything sexually that you did not want to do? e they ever threatened or physically hurt you while you were pregnant or made you do something that you didn't t to do while you were pregnant to hurt the baby? s the person using abuse have access to guns?			Yes No N/A		Consider the patient downloadin the <u>Daisy App</u>		
9					Yes No N/A		Safety Planning Toolkits:		
10					Yes No N/A		RANSW Safe from Violence		
11	Has the person using abuse ever breached an AVO, even if this was not reported to police?				Yes No N/A		Booklet 1800RESPECT Safety Planning		
12	Does the person using abuse have any known mental illness or a history of drug or alcohol misuse?				Yes No N/A		Checklist		
13	In the last 12 months, have you	the last 12 months, have you separated, changed your living arrangement, or are you thinking about doing this?			Yes No N/A		Esafety Checklist 1800RESPECT Escape Bag Checkli		
	IF YES TO QUESTION 1, 2 OR 3	<u>3:</u>	IF YES TO ANY QUESTIONS:	IF NO	TO ALL QUESTIONS:		Learn more at DFAV Online Toolk		
NSW De	It is highly encouraged to call Local Coordination Point 1800 938 omestic Violence Line 1800 65 64 63 (227	Safety plan before patient leaves appointment. It is encouraged to send this plan to the Local Coordination Point via secure messaging		g may be left to the follow up appointment.	С	Review & Follow up Enter reason for visit: DSWB (Domestic Safety Well-Being)		
(If spec abu	tional Relevant Information ific Risk indicators or patterns of ise are increasing in severity. ler existing patient supports and criminal affiliations)					L	Follow up within two weeks. Book a double appointment with patient. If this isn't possible, follo up directly with the LCP/DFAV Linker.		

Patient Details

Identifies all affected Safe methods for contact Can be used as minimal referral

Risk Assessment

Screens for risk factors Assists best response to risk Review as risk factors change

Versions available for both BP Premier & Medical Director Can be sent securely via Medical Objects



An Australian Government Initiative

			Patient	Plan			
Patient ne	eeds	Goals		Management	R		
Identify needs as identified b	by the patient.	Record the goals agreed to by the patie Clinician and any actions the patient wil		Treatments, actions, and support services patient goals	DFAV is complex a requires an interdi		
Would like to stay in the relationship but wants the violence to stop violence and abuse.		Ensure safety of patient and children Address DFAV impacts on children's dev milestones, particularly speech, language, an communication and behavioural issues. Consider social and emotional difficultie and child. Patient is safe in their home (person usin violence/sbuse leaves). Patient is engaged/se	d tor both adult	Attend to any injuries Refer to Local Coordination Point for triage and including: Counselling Care coordination The LCP will provide feedback as to the outcome referral via secure messaging Where a child may be at risk of harm, use the <u>NP</u> <u>Mandatory Reporter Guide</u> (<u>https://reporter.childtory.nsw.gov.au/s/mrg</u>) of NSW Health Child Well-being Unit to determine required. Complete a strengths-based report wh the protective behaviours of the parent and any made i.e. engaging in safety planning and allied services for children's needs.	All referrals should be Coordination Point. When making referre provide information n or other needs on Pa 1, 2 & 3 when approp Consider referral to p such as speech patho behavioural and attai knowledge and experi If patient only wants application to <u>Victims</u> not already complete Relationship or marri appropriate for DFAV Patients involved in D separate clinicians an		
Safety & Resilience		Existing Supports (Family, friends, neight professional services)	Existing Supports (Family, friends, neighbours, fessional services)		Patient confident safety plan will keep them safe		
Has the patient consented to	o referral to the Local Co	pordination Point?			Yes	No	
Copy of the plan provided to	the Local Coordination	Point				No	
in the event the Local Coord	lination Point is unable t	o make contact, does the patient consen	t to being refer	red to an alternate service	Yes	□No □N/A	
 risk assessment and : all aspects of the plan 	safety planning, n and the agreed date for n	he has discussed with the patient: eview (Practice Nurse can complete review), ialist support and care coordination.		Signed consent required Scan back into the patient file and send via According to Part 13A of the Crimes (Domestic a information sharing if the practitioner believes t necessary to lessen the threat.	iolence) Act 2007, pati		
Date plan completed		Review date					
		Enter Reason for visit: DSWB	Follow up with	hin two weeks. If this isn't possible, please conside	r following up	with the LCP/DFAV Lin	

Patient Plan

Plan treatment, Support & Referrals Set goals w/ client towards safety Review plan with patient or the LCP



Referrals
and multilayered and rdisciplinary response.
l be directed to your Local t.
rral to DFAV service, at minimum on about contact safety, cultural Page 1. Please provide all pages ropriate to do so.
o paediatric specialist services thologists, occupational therapy, ttachment therapists with pertise in DFAV.
ts counselling, consider i <u>ms Service's</u> for counselling (if eted by the LCP)
rriage counselling is not AV.
n DFAV need to be seen by and support services.
simple goals for self-care
h step taken towards safety and
atient consent is not required for that information sharing is
Linker





DFV Local Link

The DFV Local Link can support patients and clinicians by providing:

- safety planning and risk assessment
- Inks to appropriate supports and services
- telephone advice and support
- ✓ court support
- feedback to clinicians on the outcome of referral

LINK FOR SUPPORT









HOW TO REFER

Your Central Coast DFV Local Link. Ann Wright

Medical-Objects: LOCAL COORDINATION POINT – BRISBANE WATERS (CL2250000E9)

Fax: 02 9199 8564 Email: annwright@ccdvcas.org.au

Mobile: 0459 909 477 **Phone:** 02 4346 4452

If your DFV Local Link is not available, call WDVCAS on 1800 938 227.



LINK FOR SUPPORT

✓ Upload the DFV Action Plan into your clinical software and refer via medical objects or fax.

Call or email for patient advice









DO THE TRAINING and increase the confidence and capacity of your Practice to identity and support victims of Domestic Family Violence and Abuse.

BE PREPARED. DO THE TRAINING.

Healthy & Safe

Training Program

Foundations: 1 hr **Applied Foundations: 1 hr**

How to creating a safe environment for disclosure. ✓ How to SPOT THE SIGNS of DFV. ✓ How to START THE CONVERSATION. How to assess for safety. ✓ How to LINK FOR SUPPORT. How to record using the DFV Action Plan.









Contact ssasse@thephn.com.au to register your practice for training today. Link for Support. Call your DFV Local Link on 1800 WDVCAS (1800 938 227)

HNECCPHN.COM.AU

PRIMARY HEALTH NETWORK



An Australian Government Initiative

