

Safe and Healthy: A PRIMARY CARE DEVINITIATIVE

NEW ENGLAND DOMESTIC FAMILY VIOLENCE LUNCH AND LEARN

WE ACKNOWLEDGE THE TRADITIONAL OWNERS & CUSTODIANS OF THE LAND THAT WE LIVE & WORK ON AS THE FIRST PEOPLE OF THIS COUNTRY.



The highest burden of disease for women aged 18-44 years?

Alcohol Use
Tobacco Use
Workplace Hazards
Overweight/Obesity
Illicit Drug Use
Physical Inactivity
Childhood Sexual Abuse

5.1 %
4.1 %
2.3%
2.2%
1.8%
1.8%
1.8%
1.2%

(SOURCE: The Australian Institute of Health and Welfare)



contributed an estimated

5.1%

of the **burden of disease** (impact of illness, disability, premature death) for women aged 18-44 years.

This is more than any other risk factor, including alcohol, tobacco use and obesity .



The **disease burden** of domestic and family violence for **Indigenous women** aged 18-44 years is **6.3 times higher** than for non-Indigenous women in the same age group.

Estimated cost of violence against women (violence, abuse and stalking) in 2015/16:

\$22 billion

This includes \$1.4 billion to the HEALTH SYSTEM¹¹.

(SOURCE: NSW Health Strategy for Preventing and Responding to Domestic and Family Violence 2021-2026)










WHY PRIMARY CARE?



An Australian Government Initiative



FIVE

victims a week may be unseen.

Make Domestic Family Violence and Abuse

VISIBLE

in Primary Health Care.

(SOURCE: RACGP)








THE PRIMARY CARE RESPONSE

SPOT THE SIGNS

START THE CONVERSATION

LINK FOR SUPPORT







Domestic Family Violence and Abuse

Early intervention starts with a conversation.







A conversation can save a life.

START THE CONVERSATION USING THESE 4 STEPS:

1. Ask the question

"How are things at home?"

"Is there anything else happening which might be affecting your health?"

"What happens when your partner gets angry?"

"Sometimes partners use physical force. Is this happening to you?"

2. Listen without judgement

"I hear you. I believe you."

"I care, and I am here for you"

3. Validate their feelings

"I'm so sorry this has happened to you."

"Thank you for telling me. This is not your fault."

4. Encourage action

"Do you mind if I ask you some more questions about risk to help keep you safe?"

"Before you leave, I'd like to develop a safety plan with you. Is this, okay?"

"I would like to link you to a specialist support service. Is that okay?"





ACTION PLAN



An Australian Government Initiative

e DFAV Action Plan is used NOT PROVIDE PATIENT V ase refer to DFAV Action I	l when there has been an indica	ition of DFAV occurring to THE ACTION PLAN. IT MA		ety and identify risk.		(PRIMAF HEALTI NETWO	15	
Patient Details				1					
Full Name	Date of Birth	Gender/Pronouns	Patient Contact Details						
			Patient Address				Safe to receiv	e letters?	☐Yes ☐No
What culture/s does the patient identify with: ie. Aboriginal, Torres Strait Islander, LGBTIQ+ & Other Nationalities			Preferred contact number		Safe time/day to call	Safe to leave a message		a message?	Yes No
			Alternate contact number		Safe time/day to call		Safe to leave a	a message?	□Yes □No
Does the patient need an interpreter to communicate?			Preferred email				Safe to receiv	e email?	□Yes □No
If yes, specify language/s			Alternate email				Safe to receive email?		□Yes □No
Children & Pregnancy			Person/s Using DFAV						
Is the Patient Pregnant and/or have baby under 1 year old?			Name of Person/s Using DFA	AV Relations			ip to Patient		
Children's Name/s and Ag	e/s		Living in same household as patient?						
			Practitioner Name / Practice	_					

2	Enter reason for visit: DSWB (Domestic Safety Well-Being) Do you feel unsafe to go home after this visit Are the abusive behaviour/s getting worse of the description of the descripti		art 13A of the Crin	nes (Domestic and Personal	В	Safety Planning Plan with your patient how they and their children can remain safe
2	Are the abusive behaviour/s getting worse or			Ves No N/A		
3	Have they ever put their hands around your	happening more often?		_ 103 _ 110 _ 111/A		When Safety Planning consider:
- 3	, ,			☐Yes ☐No ☐N/A		Supportive people and/or organisations, Safe neighbours
'		Have they ever put their hands around your throat or tried to stop you breathing in any way? Please refer patient to ED with referral letter requesting Violence Abuse Neglect psychosocial support.				Escape bag – medication, clothing, important docs, comforter toy for children
4	Are they jealous or controlling of you, includi	ng following/tracking where you are going or isolating you	■Yes ■No ■N/A		Safety of children, Safety of pets	
5 (Do you rely on them to care for you, and do	they use this position to control or hurt you?		■Yes ■No ■N/A		Safe communication
6	Have they ever threatened to kill you, pets, o	r your children?		Yes No N/A		Electronic communications and social media
	Have they ever threatened or hurt you or you Please specify in additional information (with weap	ur children inclusive of weapons or other objects?		□Yes □No □N/A		When to call the police
8						Consider the patient downloading the Daisy App
9	9 Have they ever threatened or physically hurt you while you were pregnant or made you do something that you didn't want to do while you were pregnant to hurt the baby? Yes No N/A					Safety Planning Toolkits:
10	Does the person using abuse have access to guns?			■Yes ■No ■N/A		RANSW Safe from Violence Booklet
11	Has the person using abuse ever breached ar		■Yes ■No ■N/A	1800RESPECT Safety Planning		
12	Does the person using abuse have any know	n mental illness or a history of drug or alcohol misuse?	Yes No N/A		Checklist Esafety Checklist	
13	In the last 12 months, have you separated, changed your living arrangement, or are you thinking about doing this?			☐Yes ☐No ☐N/A		1800RESPECT Escape Bag Checklist
	It is highly encouraged to call:			TO ALL QUESTIONS: rmay be left to the follow up appointment.	С	Review & Follow up Enter reason for visit: DSWB (Domestic Safety Well-Being)
(If specifi abuse	onal Relevant Information fic Risk indicators or patterns of ee are increasing in severity. er existing patient supports and criminal affiliations)					Follow up within two weeks. Book a double appointment with patient. If this isn't possible, follow up directly with the LCP/DFAV Linker.

			Patient	Plan			
Patient needs Goals				Management	Referrals		
Identify needs as identified I	w/the nationt	ord the goals agreed to by the patient a cian and any actions the patient will no		Treatments, actions, and support services patient goals	DFAV is complex and multilayered and requires an interdisciplinary response.		
Information and advice only Would like to stay in the rel violence to stop violence and at Wants to leave the relation Requires an immediate resp accommodation. Other issues -	ationship but wants the miles comm ship onse and crisis	Ensure safety of patient and children Address DFAV impacts on children's develo stones, particularly speech, language, and munication and behavioural issues. Consider social and emotional difficulties fo child. Patient is safe in their home (person using nce/abuse leaves). Patient is engaged/seek	r both adult	Counselling Legal Housing Care coordination The LCP will provide feedback as to the outcome of the referral via secure messaging Where a child may be at risk of harm, use the NSW		All referrals should be directed to your Local Coordination Point. When making referral to DFAV service, at minim provide information about contact safety, culture or other needs on Page 1. Please provide all pag 1, 2 & 3 when appropriate to do so. Consider referral to paediatric specialist service such as speech pathologists, occupational there behavioural and statechment therapists with knowledge and expertise in DFAV. If patient only wants counselling, consider application to Victims Service's for counselling (not already completed by the LCP) Relationship or marriage counselling is not appropriate for DFAV. Patients involved in DFAV need to be seen by separate clinicians and support services.	
Safety & Resilience		Existing Supports (Family, friends, neighbou essional services)	rs,	Patient confident safety plan will keep them	Patient confident safety plan will keep them safe Set small and simple goals for se Celebrate each step taken towar empowerment		
Has the patient consented to referral to the Local Coordination Point?					■Yes	No	
Copy of the plan provided to the Local Coordination Point					□Yes □No		
In the event the Local Coord	ination Point is unable to mak	ke contact, does the patient consent to	being refer	red to an alternate service	□No □N/A		
Completing the plan On completion of the plan, the Clinican is to record that s/he has discussed with the patient: in risk assessment and safety planning, all aspects of the plan and the agreed date for review (Practice Nurse can complete review), referral to the Local Coordination Point for specialist support and care coordination.				Signed consent required Scan back into the patient file and send via secure messaging. According to Part 13A of the Crimes (Domestic and Personal Violence) Act 2007, patient consent is not required information sharing if the practitioner believes the person is at serious threat and that information sharing is necessary to lessen the threat.			
Date plan completed		Review date					
		Enter Reason for visit: DSWB	Follow up wit	hin two weeks. If this isn't possible, please conside	r following up	with the LCP/DFAV Linker	
		Review Notes					

Patient Details

Identifies all affected
Safe methods for contact
Can be used as minimal referral

Risk Assessment

Screens for risk factors
Assists best response to risk
Review as risk factors change

Patient Plan

Plan treatment, Support & Referrals Set goals w/ client towards safety Review plan with patient or the LCP

New England WDVCAS



The New England WDVCAS can support patients and clinicians by providing:

- ✓ safety planning and risk assessment
- ✓ links to appropriate supports and services
- ✓ telephone advice and support
- ✓ court support
- √ feedback to clinicians on the outcome of referral



HOW TO REFER

- ✓ Medical-Objects: LOCAL COORDINATION POINT NEW ENGLAND (AW2350000TH)
- ✓ Phone: 1800 004 022
- ✓ Email:

wdvcasnewengland@tfss.com.au

- ✓ Upload the DFV Action Plan into your clinical software and refer via medical objects or fax.
- ✓ Call or email for patient advice





DO THE TRAINING

and increase the confidence and capacity of your General Practice to identity and support victims of Domestic Family Violence and Abuse.

Training Program

Foundations: 1 hr Applied Foundations: 1 hr

- ✓ How to creating a safe environment for disclosure.
- ✓ How to SPOT THE SIGNS of DFV.
- ✓ How to START THE CONVERSATION.
- ✓ How to assess for safety.
- ✓ How to LINK FOR SUPPORT.
- ✓ How to record using the DFV Action Plan.





Contact ssasse@thephn.com.au to register your practice for training today.

Link for Support.

Call your DFV Local Link on 1800 WDVCAS (1800 938 227)



